

Anti-IL-2R [Daclizumab] Standard Size Ab00187-2.0

This is a research grade biosimilar - not for therapeutic use! This chimeric mouse antibody was made using the variable domain sequences of the original Human IgG1 format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Mouse IgG2a, Kappa

Clone Number: Daclizumab

Alternative Name(s) of Target: CD25; Interleukin-2 receptor subunit alpha; IL-2 receptor subunit alpha;

IL-2R subunit alpha; IL-2-RA; IL2-RA; TAC antigen; p55

UniProt Accession Number of Target Protein: P01589

Published Application(s): Block, FC

Published Species Reactivity: Human, Rhesus Monkey, Cynomolgus Monkey **Immunogen:** Cultured T-cells derived from a patient with Mycosis fungoides.

Specificity: Binds to p55 chain of IL2R on human T cells, Tac antigen, which is expressed on T cells activated by mitogens, soluble antigens, and alloantigens but not on resting T cells, thymocytes, B cells, monocytes, activated B cells, leukemic T cell blasts from patients with acute lymphoblastic leukemia, and long-term T cell lines.

Application Notes:

Antibody First Published in: Queen C, Schneider WP, Selick HE, Payne PW, Landolfi NF, Duncan JF, Avdalovic NM, Levitt M, Junghans R, Waldmann TA. A humanized antibody that binds to the interleukin 2 receptor. Proc Natl Acad Sci U S A. 1989 Dec;86(24):10029-33. PMID:2513570

Note on publication: Describes the preparation the humanised mouse anti human Tac monoclonal antibody by combining the CDRs of the mouse anti- Tac antibody with human framework and constant regions and affinity characterisation.

Product Form

Size: 200 μg Purified antibody.

Purification: Protein A affinity purified **Supplied In:** PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

20°C.

Concentration:

for research use only. It is not intended for use in therapeutic or diagnos ls.	:ic