

## Anti-CD5 [OX-19] Standard Size Ab00554-23.0

This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG1 format, for improved compatibility with existing reagents, assays and techniques.

**Isotype and Format:** Rabbit IgG, Kappa

**Clone Number:** OX-19

Alternative Name(s) of Target: Lyt-1; Ly-1; Ly-12; Lyt1; Ly1; Ly12; OX19; MRC OX19; MRC OX-19;

UCHT2; UCH-T2

**UniProt Accession Number of Target Protein: P51882** 

Published Application(s): inhibit, WB, FC, IHC

Published Species Reactivity: Rat

Immunogen: Rat immunized with thymocyte glycoproteins.

**Specificity:** This antibody binds to CD5 glycoprotein primarily expressed on thymocytes and mature peripheral T lymphocytes. CD5 is a member of the scavenger receptor superfamily and primarily expressed on thymocytes and mature peripheral T lymphocytes, but not on NK cells, intestinal intraepithelial gamma/delta T cells.

**Application Notes:** This antibody can be used for denaturing and non-denaturing WB and developed using peroxidase-conjugated rabbit anti-mouse. It can also be used for IHC of cryostat sections from adult rat liver. Staining is also observed on the brush border of the small intestine and colonic epithelium, T cell areas of lymphoid cells but not B cell follicles

**Antibody First Published in:** McCaughan et al. Identification of the bile canalicular cell surface molecule GP110 as the ectopeptidase dipeptidyl peptidase IV: an analysis by tissue distribution, purification and N-terminal amino acid sequence. Hepatology 11:534-544 1990 PMID:1970322

**Note on publication:** Describes the tissue distribution of CD26 by staining using the antibody OX-61. OX-61 also was shown to deplete CD26 activity.

## **Product Form**

**Size:** 200 µg Purified antibody.

**Purification:** Protein A affinity purified **Supplied In:** PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

