

Anti-ADAMTs13 [1-420 scFv] Standard Size Ab00735-10.0

This full-length, reformatted human antibody was made using the variable domain sequences of the original Human scFv format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Human IgG1, Kappa

Clone Number: 1-420 scFv

Alternative Name(s) of Target: vWF-CP; ADAM-TS13; ADAMTS-13; C9orf8; VWFCP; ADAM metalloproteinase with thrombospondin type 1 motif 13

UniProt Accession Number of Target Protein: A2ALB3

Published Application(s): inhibit

Published Species Reactivity: Human, Mouse

Immunogen: 1-420 scFv was generated from a phage display library derived from human TTP patients expressing autoantibodies against ADAMTS13.

Specificity: Binds to the ADAMTS13 spacer domain. 1-420 binds to the same ADAMTS13 spacer domain loop segments that are required for binding of ADAMTS13 to VWF. ADAMTS13 is a zinc-containing metalloprotease which is secreted in blood where it is able to cleave VWF, a protein involved in blood clotting, to decrease the protein's activity.

Application Notes: Mice transfected with the scFv show ADAMTS13 inhibition and accumulation of unprocessed UL-VWF (ultralarge VWF) multimers. 1-420 mediates inhibition by binding to the same spacer domain loop domain segments required for ADAMTS13 binding to VWF. Please note that this antibody is subject to a pending patent application by the The Trustees Of The University Of Pennsylvania (WO2016164468 A2).

Antibody First Published in: Ostertag et al. ADAMTS13 autoantibodies cloned from patients with acquired thrombotic thrombocytopenic purpura: 2. Pathogenicity in an animal model Transfusion. 2016 Jul;56(7):1775-85 [PMID:27040023](#)

Note on publication: "Describes the use of human anti-ADAMTS13 autoantibodies that function in mice to develop thrombotic thrombocytopenic purpura (TTP) disease model."

Product Form

Size: 200 µg Purified antibody.

Purification:

Protein A affinity purified

Supplied In: PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.