

Anti-Canine Lymphoma [Mab231] Standard Size, 200 µg, Ab02092-23.0 View online

Anti-Canine Lymphoma [Mab231] Standard Size Ab02092-23.0

This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG2a format, for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Rabbit IgG, Kappa

Clone Number: Mab231

Alternative Name(s) of Target: Canine Lymphoma 17-71

UniProt Accession Number of Target Protein:

Published Application(s): RIA, FC

Published Species Reactivity: Dog, Human

Immunogen: The original antibody was generated by immunizing BALB/c mice with cannine lymphoma cell line 17-71.

Specificity: This antibody binds canine lymphoma cells.

Application Notes: This antibody is recommended for detection of canine lymphoma cells. The binding ability of the hybridoma supernatents with canine lymphoma cells was determined by radioimmunoassay. FACS analysis was used to analyse the binding of the antibody to cells freshly isolated from canine lymphomatous nodes and normal lymphocytes of canine and human blood (Steplewski et al., 1987). This antibody has been shown to exhibit antibody-dependent cellular cytotoxicity as well as complement-dependant cytolysis (Rosales et al., 1988). Canine lymphoma is conventionally treated with chemotherapy, but it was found that subsequent treatment with a specific monoclonal antibody, Mab 231, raised against the lymphoma, substantially prolonged remission and survival times (Jeglum, 1989).

Antibody First Published in: Steplewski et al. Canine lymphoma-associated antigens defined by murine monoclonal antibodies. Cancer Immunol Immunothera (1987) 24:197-201. PMID:

Note on publication: Describes the antigens associated with cannine lymphoma as characterized by murine antibodies.

Product Form

Size: 200 μg Purified antibody. **Purification:** Protein A affinity purified **Supplied In:** PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at - 20°C.

Concentration: 1 mg/ml.

Important note – This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals.