

Anti-Myelin basic protein [F23C6] Standard Size Ab03091-23.0

This chimeric rabbit antibody was made using the variable domain sequences of the original Mouse IgG1 format for improved compatibility with existing reagents assays and techniques.

Isotype and Format: Rabbit IgG, Kappa

Clone Number: F23C6

Alternative Name(s) of Target: MBP; Myelin A1 protein; Myelin membrane encephalitogenic protein; F23

UniProt Accession Number of Target Protein: P02686

Published Application(s): ELISA

Published Species Reactivity: Human

Immunogen: The original antibody was generated by hyperimmunization of BALB/c mice with a synthetic

peptide comprising human MBP acetyl residues 1-9.

Specificity: This antibody binds human myelin basic protein (MBP), acetyl residues 1-9 (ASQKRPSQR). The MBP isoforms 4 and 14 along with PLP are most abundant protein components of the myelin membrane in the CNS. The smaller isoforms are believed to have an important role in remyelination of denuded axons in multiple sclerosis.

Application Notes: This antibody can be used for the detection of human MBP in a sample using ELISA. This antibody was found to react with human MBP peptides like acetyl 1-9, 1-14, and 1-44 (PMID: 1698857).

Antibody First Published in: Zhou et al. An idiotype shared by monoclonal antibodies to different peptides of human myelin basic protein. J Immunol. 1990 Oct 15;145(8):2554-60. PMID:1698857

Note on publication: Describes the generation of antibody against human myelin basic protein and describes use of complementary peptide to human MBP peptide 1-9 to raise murine mAb with anti-Id activity.

Product Form

Size: 200 μg Purified antibody.

Purification: Protein A affinity purified **Supplied In:** PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

© 2024 Absolute Antibody	https://absoluteantibody.com/product/anti-myelin-basic-protein
Important note – This product is for rese procedures for humans or animals.	earch use only. It is not intended for use in therapeutic or diagnostic
Concentration: 1 mg/ml.	
20°C.	