



Recombinant Human CD96 Fc-Fusion Protein

Cat No: Pr00124-10.9

Product Summary

Description: Recombinant human CD96 Fc-Fusion Protein manufactured using [AbAb's Recombinant Platform](#)

Protein: Human CD96

Fc domain: Human IgG1

Structure / Form: Disulfide-linked homodimer

Species: Human

Construct Design Note(s): The extracellular domain of CD96 has been fused to the Fc domain of human IgG1.

Host: HEK293

UniProt Accession Number: P40200

Alternative Description: T-cell surface protein tactile, Cell surface antigen CD96, T cell-activated increased late expression protein; CD96-Ig; CD96-Fc chimera; CD96 (Fc tag)

Published Application(s):

Tested Applications(s):

Activity: May be involved in adhesive interactions of activated T and NK cells during the late phase of the immune response. Promotes NK cell-target adhesion by interacting with PVR present on target cells. May function at a time after T and NK cells have penetrated the endothelium using integrins and selectins, when they are actively engaging diseased cells and moving within areas of inflammation [Uniprot].

Product Form

Purification: IMAC purified

Supplied in: 0.1 mg size: PBS with preservative (0.02% Proclin 300), 1 mg size: PBS only.

Endotoxin: <1.0 EU/mg

Shipping: The product is shipped on blue ice. Upon receipt, store it immediately at the temperature recommended.

Storage Recommendation: Store at 4°C for up to 1 month. For longer term storage aliquot in small volumes and store at -20°C. Avoid repeated freeze-thaw cycles.

SDS PAGE Purity: >95%, as determined by SDS-PAGE and visualized by Coomassie Brilliant Blue.

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals

Fc-Fusion Sequence (monomer)

VWEKTVNTEENVYATLGSDVNLTCQTQTVGFFVQMOWSKVTNKIDLIQVYHPQYGFYCAVGRPCESLVTFTETPENGS
KWTLHLRNMSCSVSGRYECMLVLYPEGIQTKIYNLLIQTHVTADEWNSNHTIEIEINQTLIPCFQNSSSKISSEFTYAWS
VENSSTDSWVLLSKGIKEDNGTQETLISQNHLSNSTLLKDRVKGTDYRLHLSPVQIFDDGRKFSCHIRVGPKNILRSS
TTVKVFAKPEIPVIVENNSTDVLERRFTCLLKNVFPKANITWFIDGSFLHDEKEGIYITNEERKGGKDFLELKSVLTRVHS
NKPAQSDNLTIWCMALSPVPGNKVWNISSEKITFLLGSEISSTDPPLSVTESTLDTQPSPASSVSPARYPATSSVTLVDV
SALRPNTTPQPSNSSMTTRGFNYPWTSSGTDTKKSVSRIPSETYSSSPSGAGSTLHDNVFTSTARAFSEVPTTANGST
KTNHVHITGIVVKNPKDGMSPGGGGSEPKSQDKTHTCPPCPAPELLGGPSVFLFPPKPKDTLMISRTPEVTCVVVDV
SHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKCKVSNKALPAPIEKTISKAKGQP
REPQVYTLPPSRDELTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTTPVLDSDGSFFLYSKLTVDKSRWQQGN
VFSCSVMHEALHNHYTQKSLSLSPGHHHHHH

Underlined amino acids sequence include a G4S linker and 6xHis epitope tag, respectively.

Calculated Molecular weight (dimer): 165557 Da

Extinction coefficient: 235790 (calculation performed as described by Pace *et al.* (1995), PMID: 8563639).

Important note - This product is for research use only. It is not intended for use in therapeutic or diagnostic procedures for humans or animals