

## Anti-His tag (C-term) [3D5] Standard Size Ab00101-8.1

This is a chimeric rat antibody, based on the original mouse IgG2b format, created for improved compatibility with existing reagents, assays and techniques.

Isotype and Format: Rat IgG2b, Kappa

Clone Number: 3D5

Alternative Name(s) of Target: polyhistidine tag UniProt Accession Number of Target Protein: n/a Published Application(s): FACS, WB, ELISA, FC

Published Species Reactivity: n/a

**Immunogen:** Purified his tagged Fab fragment.

**Specificity:** This antibody binds to carboxy-terminal oligo-histidine tags (6x His tags) of fusion proteins. It also has affinity for internal His-tags but no affinity for N-terminal His-tags.

**Application Notes:** This antibody was successfully used for ELISA, WB, and FACS. Monomeric and dimeric scFv versions of the antibody were generated and described (Lindner et al., 1997; PMID: 8994661). The scFv version of this antibody was engineered into a lentiviral vector system to confer specificity for cells displaying the His tag on their surface, enabling targeted gene transfer into HT1080-anti-His cells (Friedel et al., 2015; PMID: 25715658). This antibody was used in FC to detect Canine IL-17A in Canine IL-17A-transfected HEK293 A cells (Akiyama et al., 2019; PMID: 30885301).

**Antibody First Published in:** Lindner P, Bauer K, Krebber A, Nieba L, Kremmer E, Krebber C, Honegger A, Klinger B, Mocikat R, Plückthun A. Specific detection of his-tagged proteins with recombinant anti-His tag scFv-phosphatase or scFv-phage fusions. Biotechniques. 1997 Jan;22(1):140-9. PMID:8994661

**Note on publication:** Describes the making of the antibody, shows it recognised carboxy-terminal oligohistidine tags (His tags) of a wide variety of proteins in immuno-assays of cell lines with His tag amplifications.

## **Product Form**

**Size:** 200 µg Purified antibody.

**Purification:** Protein A affinity purified **Supplied In:** PBS with 0.02% Proclin 300.

Storage Recommendation: Store at 4°C for up to 3 months. For longer storage, aliquot and store at -

